







TECHNICAL DATA			MDVN 26 K						
FREE AIR DELIVERY (ISO 1217)	lt/min	2000	2500	3000	3600	4500	5200	7100	8200
(130 1217)	CFM	71	90	106	127	159	185	251	290
OPERATING PRESSURE	bar	6.5	6.5	7	7	7	7	7	7
	psi	94	94	102	102	102	102	102	102
		Possibility to have different operating pressures up to 14/15 bar and dual pressure							
TRANSMISSION MOTOR-SCREW UNIT		Belt drive	Belt drive	Direct drive					
		Kubota	Kubota	Kubota	Kubota	Kubota	Kubota	Kubota	Kubota
ENGINE MAKE		D902-E3B	D1105-E3B	V-1505-E4B	V-1505-E4B	V2403-M-DI	V2403-M-DI	V-2607-DI-T	V-3307-DI-T-E3B
ASPIRATION		Natural	Natural	Natural	Natural	Natural	Natural	Turbo	Turbo
COOLING SYSTEM		Water	Water	Water	Water	Water	Water	Water	Water
NO. ENGINE CYLINDER		3	3	4	4	4	4	4	4
ENGINE POWER	Kw	18.5	18.5	26.2	26.2	36.5	36.5	49.2	55.4
	Нр	25	25	35	35	49	49	66	75
MAX ENGINE	RPM	3600	3000	2650	3000	2450	2700	2700	2600
MIN ENGINE	RPM	1900	1900	1600	1600	1600	1600	1600	1600
LENGTH (Without drawbar)	mm	1478	1478	1600	1600	1780	1780	2100	2100
	inches	58.2	58.2	63.0	63.0	70.1	70.1	82.7	82.7
LENGTH (With drawbar)	mm	3020	3020	3015	3015	3191	3191	3491	3491
	inches	118.9	118.9	118.7	118.7	125.6	125.6	137.4	137.4
WIDTH	mm	1410	1410	1360	1360	1340	1340	1590	1590
	inches	55.5	55.5	53.5	53.5	52.8	52.8	62.6	62.6
HEIGHT	mm	1200	1200	1300	1300	1320	1320	1640	1640
	inches	47.2	47.2	51.2	51.2	52.0	52.0	64.6	64.6
WEIGHT (Without Brakes)	Kg	490	550	680	680	850	850	1275	1375
	Lb	1080	1210	1499	1499	1874	1874	2811	3031
WEIGHT (With Brakes)	Kg	580	640	700	700	950	950	1400	1400
	Lb	1280	1411	1543	1543	2094	2094	3086	3086

**BOTAIB**<sup>®</sup>

TECHNOLOGY AND ENGINEERING SOLUTIONS

BOTANT

## **MDVN RANGE PORTABLE COMPRESSORS** SUPERSILENT POWERFUL&COMPACT

A NEW WORKING CONCEPT!





A NEW WORKING CONCEPT СОМРАСТ







A vast range of motorized compressors capable of meeting the highly diverse and demanding needs of professionals in the field. The result of 40 years of ongoing experience, they feature a new and highly appealing design, and are both compact and powerful. Silent and highly reliable through time.



## Main features

- New, modern design with a more aggressive and streamlined look
- Compact dimensions for handling ease, whilst at the same offering high performance levels
- Environmental respect: the general acoustic pressure levels are at the lowest levels as indicated in the current legislative limits
- Motorization system using liquid cooling system only, which is more reliable and less noisy
- Special "BS" sandblasting version that includes a compressed air cooling radiator and an automatic condensation separator to ensure the delivery of de-humified air.
- Protection device for cold starting of the diesel engine.



The respect of ordinary maintenance intervals and the use of genuine spare parts ensure constant and optimal performances and a reliable durability through time



FUEL TANK made of transparent plastic material for immediate level checking. Also fitted with a wide filler inlet.



layout clean and easy for a quick and efficient maintenance and control in resistant and highly nondeformable material

RESISTANT



**MDVN** 

RANGE

START/STOP SYSTEM aptly known as the "INTELLIGENT SYSTEM" which prevents the risk of any incorrect procedures during specific functioning.



Why Rotair...

manufacturing field.

available with:

• For its over 40 years of experience in the compressor

• For the ease and versatility of use of its products;

- fittings ideal for fast towing with lighting system and

• Thanks to the highly advanced technological input and the intrinsic quality of its machines which have been

• Thanks to its reduced and simplified maintenance

needs of its "easy maintenance" system of easily

• Thanks to the high quality of the construction

processes used to ensure constant reliability and the

enhanced value of the product through time.

The VICE STATE

- operating pressure up to14/15 bar-203/218 psi - personalized fittings: skid-mounted versions,

"BS special sand-blasting" versions.

homologated for road circulation.

further improved and enhanced.

accessible service points.

ROTATR

ULTRA-SILEAT

CONTROL BOARD complete and fully functional using a "NO KEY"system. So that no keys are needed for internal access to the unit and for its ignition.



More operative autonomy! Lower hourly costs!

times and cycles

ш

**CLUSIV** 

EX

SCREW SET ENTIRELY DESIGNED AND MANUFACTURED BY ROTAIR with ground profile of Rotair exclusive manufacture and design, guaranteed for 2 years regardless of the total number of working hours involved. The asymmetric profile with oil injection is created by means of high pressure grinding that ensures excellent performance of the set in the compression stage, reducing the required energy dispersion to a minimum. The installed screw sets are of direct transmission type without geared rev multiplier. This solution reduces wear of the screw set and overheating, ensures reduced noise emissions and fuel consumption savings.

